

KAYLA series LED Continuously Rowed, Pendant-mounted




INSTALLATION PROCEDURE (Sheet 1 of 4)

DO NOT DISCARD
PLEASE READ CAREFULLY BEFORE BEGINNING INSTALLATION.

Fixtures must be installed by licensed electricians in accordance with all local and national codes.





To prevent electrical shock, disconnect electrical supply before installing or servicing.

Before Beginning Installation, Locate the Following (4) Components, Gather Required Tools:



Service Hotline: 1-201-246-8188
 Monday through Friday 9:00AM - 5:00PM

To Begin Installation, Locate Feed and Non-Feed Suspension Points:



See Sheets 2, 3 and 4 for Step-by-Step Installation Details









INSTALLATION PROCEDURE (Sheet 2 of 4)

Feed Suspension Assemblies @ Ceiling






POWER OFF

Dia. A



Non-Feed Suspension Assemblies @ Ceiling

Dia. B



Fixtures must be installed by licensed electricians in accordance with all local and national codes.


**Service Hotline: 1-201-246-8188
Monday through Friday 9:00AM - 5:00PM**

INSTALLATION PROCEDURE (Sheet 3 of 4)

Suspension Assemblies @ Fixture

POWER OFF


Dia. A and B



Suspension Assemblies @ Fixture

POWER OFF

Dia. C



KAYLA series LED Continuously Rowed, Pendant-mounted



INSTALLATION PROCEDURE (Sheet 4 of 4)

Joining Fixtures **POWER OFF** Dia. C

1

After Fixture Is Suspended, Remove Reflector And Lens. Retain Screws To Re-install Reflector After Fixtures Are Connected.

2

After Fixture Is Suspended At Far End, Remove Reflector And Lens. Retain Screws To Re-install Reflector After Fixtures Are Connected.

3

Align Fixtures And Draw Together Until Draw Latch And Draw Latch Catch Can Engage. Draw Fixtures Snugly Together With Latch And Catch.

4

After Fixtures Are Snugly Coupled, Insert Locking Screws As Shown.

5

Replace Reflectors While Making Electrical Connection. Snap Lenses Into Fixtures.

Completing Feed @ J-Box **POWER OFF** Dia. A

Slide Power Cord Through Bushing. Make Wiring Connections In Accordance With All Applicable Codes.

To Complete Feed Suspension: Push Bushing Into Canopy Hole. Secure Power Cord To Cable with Cable Ties.

Power Cord @ Fixture (5) or (6) wire

Optional Non-Food Suspensions **POWER OFF**

"Caddy" type Independent Support Clip (Not Provided).

When Suspending From Clips As Shown, Clips Must Be Independently And Securely Suspended From Building Structure.

"Hilti" type Anchor Bolt (Not Provided).

When Suspending From Bolts As Shown, Contractor Assumes Responsibility for the Integrity of the Suspension.

"EM" Battery Pack Activation **POWER OFF**

To Maintain "EM" Battery Pack Charge, "EM" Fixtures Provided With "EM" Pack Disconnected As Shown.

To Activate "EM" Battery Pack, Plug Together As Shown. Insert Wires Into Hole And Cap With Plug Provided.

Installation and maintenance of the KAYLA luminaire may only be performed by qualified and licensed electricians in accordance with all applicable codes and standards.

Picasso Lighting Industries, LLC assumes no responsibility or liability for any unauthorized changes or modifications to the KAYLA luminaire.

The KAYLA luminaire is not intended for outdoor use.

Picasso Lighting Industries, LLC. shall assume no responsibility or liability for the integrity of the mounting surface and structure as well as the integrity of all components not provided by Picasso Lighting Industries, LLC.

Turn off line voltage and allow luminaire to completely cool before performing any maintenance including routine cleaning of luminaire.

Avoid touching LED light emitting surfaces while installing, replacing or providing maintenance to the luminaire.

Luminous flux and connected electrical load are subject to an initial tolerance of +/- 10%.

Color temperature (k) is subject to a tolerance of +/- 150k from the nominal value.

Any component contained in this luminaire can only be replaced by the manufacturer or an agent thereof.

Keep these INSTALLATION INSTRUCTIONS in a secure and readily accessible place for any future maintenance or for reference.

DO NOT DISCARD
PLEASE READ CAREFULLY BEFORE BEGINNING INSTALLATION.